

Diabetes In

Chesterfield County, 2012



Produced by the South Carolina Department of Health and Environmental Control

Impact of Diabetes in the United States


- Diabetes affects 25.8 million Americans and contributes to approximately 231,000 deaths a year.
- Diabetes is becoming more common in the United States. From 1980 through 2011, the number of Americans with diagnosed diabetes has more than tripled (from 5.6 million to 20.9 million).
- The direct and indirect costs of diabetes in the U.S. were nearly \$174 billion in 2008.
- 69,701 people died of diabetes in the U.S. in 2010.

Diabetes in South Carolina

- Approximately 421,549 adults in South Carolina are diagnosed with diabetes. African Americans have a 42% higher prevalence than Whites.
- The total direct costs of hospitalizations and emergency room visits were over \$4.7 billion in 2012
- Diabetes is the seventh leading cause of death in South Carolina, claiming 1,186 lives in 2012


Behavioral Risk Factors

Major behavioral risk factors, such as obesity and physical inactivity are partially responsible for development of type 2 diabetes (Fig 1).



Diabetes Prevalence


■ An estimated 14.4% of adults in Region 4 suffer annually from diabetes (Fig 2).



*County-level BRFSS not available for 2012.

Hospital and Emergency Room Discharges

- In 2012, there were 79 hospitalizations for diabetes in Chesterfield County for all ages.
- There were an additional 1081 hospital discharges with diabetes-related conditions in Chesterfield County.
- In 2012, there were 119 emergency room (ER) visits for diabetes as the primary diagnosis, among which 70 (59%) were by African-American patients.
- There were 999 ER visits for diabetes as a related condition.




Medicare paid for 61% of the ER and Hospitalization charges in Chersterfield County (Fig 3).

Complications

- 43% of patients hospitalized in SC for diabetes had complications in 2012; 42% of hospitalizations in Chesterfield County (Table 1).
- In 2011, more than 74% of people in SC with diabetes had hypertension, compared with only 30% of people without diabetes.

Table 1. Hospitalizations for Diabetes Complications in **Chesterfiled County in 2012** Percent of **Diabetes** Hospital **Diabetes Total Charges** Complication Admissions Hospital Admissions Renal Failure 385 \$15,634,900 34% Lower 14 \$1,212,900 Extremity 1% Amputation 23 2% \$623,400 Ketoacidosis 55 5% \$2,951,300 Retinopathy

- In 2011, more than 67% of people with diabetes had high cholesterol.
- 2012, the rates for lower extremity amputations among blacks in SC were 3times the rates among whites.



For More Information about diabetes contact:

Division of Diabetes, Heart Disease, Obesity and School Health DHEC Bureau of Community Health and Chronic Disease

http://www.dhec.sc.gov/health/chcdp/diabetes/index.htm (803) 898-1635

Diabetes Initiative of South Carolina http://www.musc.edu/diabetes/


DIABETES IN LES

Generated by: Division of Chronic Disease Epidemiology, Bureau of Community Health and Chronic Disease Prevention

http://www.scdhec.gov/hs/epidata/state_reports.htm


Mortality

- Diabetes is the eleventh leading cause of death in Chesterfield County.
- A total of 7 people in Chesterfield County died from diabetes in 2012.



- The Chesterfield County mortality rate was 13.1/100,000 in 2012, below the state average.
- Chesterfield County ranks #39 in diabetes mortality in South Carolina 2010-2012.

Fig. 6 Diabetes Mortality 2010-2012



Data Sources:

Behavioral Risk Factors and Diabetes Prevalence: SC BRESS

http://www.scdhec.gov/administration/phsis/biostatistics/brfss/

Mortality Data:

Vital Statistics, DHEC Division of Biostatistics 803-898-3627



Hospital Discharges and ER Visits:

Office of Research and Statistics SC Budget and Control Board (803) 898-9940



For more details, please view the Technical Document below

www.scdhec.gov/health/epidata/docs/EpiTechNotes.pdf